



尖端的真空设备 凯旭产品选型手册



姓名:陈强

微信:kaixuvac

电话:132-6865-5599

邮箱:chenqiang@kaixuvac.cn


网址:www.kaixuvac.com

地址:东莞市寮步镇寮步坑口振兴四巷3号

营业联系




nES单级旋片泵



Edwards nES系列具有稳定的泵送性能和出色的真空稳定性，这得益于优化的油分配。低压下的高泵送速度为广泛的应用提供了理想的真空解决方案。

nES系列设计紧凑，运行清洁，具有高效的集成雾过滤器、优化的保油性、低噪音和振动水平，可最大限度地减少对环境的影响，高效冷却电机、低泵温和最低维护成本提供了出色的生命周期成本。泵具有高性能和可靠性，确保了最大的生产率。采用高质量部件和先进的回油系统设计，能在最大限度地提高工艺效率。



产品特点

泵的工作机制旨在提供最佳的泵送性能，且能保证真空度水平不会出现波动。


气镇机制有助于对可凝结蒸汽进行有效的泵送及管控。

这些电机效率很高，符合最新的能效标准以及美国实验室标准欧洲标准。

泵与国际标准化组织ISO标准接口和英制管螺纹G接口均兼容，为安装提供了灵活性。

高效的冷却系统能够实现较低的运行温度，并延长油的使用寿命，从而提高可靠性。

优化的回流与分离系统有助于实现稳定的泵送性能，并最大程度减少油的损耗。使用优级性能70号油能够实现最佳的泵送性能，而使用优级耐力延长110号油则可延长维护保养间隔时间。



技术数据

真空数据	nES 40	nES 65	nES 100	nES 220
峰值抽速 (m3h1)	38.5	54	87.5	179
关气镇极限真空(mabr)	0.5	0.5	0.5	0.05
开气镇极限真空(mabr)	1.5	1.5	1.5	0.7
进气排气口法兰	40ISO-F/G1¼	40ISO-F/G1¼	40ISO-F/G1¼	63ISO-F/G2
推荐用油	UL70/VG100	UL70/VG100	UL70/VG100	UL70/VG100
注油量 (L)	1	2	2	7.5
噪音 (db)	58	60	61	69
电机功率 (KW)	1.3	1.8	3	4.4
电机转速 (rpm)	1500	1500	1500	1500
重量 (KG)	67	86	104	180
外型尺寸 (mm)	540x284x303	586x320x314	721x400x319	984x606x407

- 1、测量的是全压力
- 2、如需获取更多详细资料请联系技术支持
- 3、技术电话：陈 强 132-6865-5599



技术数据

真空数据	nES 300	nES 300 S	nES 630	nES 750
峰值抽速 (m3h1)	240	284	640	755
关气镇极限真空(mabr)	0.08	0.08	0.08	0.08
开气镇极限真空(mabr)	0.7	0.7	0.7	0.7
进气排气口法兰	63ISO-F/G2	63ISO-F/G2	100 ISO-F	100 ISO-F
推荐用油	UL70/VG100	UL70/VG100	UL70/VG100	UL70/VG100
注油量 (L)	11.5	11.5	23	23
噪音 (db)	72	72	72	75
电机功率 (KW)	5.5	6.0	18.5	18.5
电机转速 (rpm)	1500	1500	1500	1500
重量 (KG)	244	244	760	760
外型尺寸 (mm)	1130x555x450	1117x565x450	1563x909x740	1563x909x740

- 1、测量的是全压力
- 2、如需获取更多详细资料请联系技术支持
- 3、技术电话：陈 强 132-6865-5599



24小时为客户提供服务

高效率

高品质

高服务

除了拥有出色的性能、效率及实用性的真空设备，我们也可以提供精湛的服务和支持。无论是在我们的服务中心还是您的现场，我们均可为多个品牌和应用提供服务。可以快速响应您的需求，就算是不间断工艺，也可让您安心生产。

In addition to vacuum equipment with excellent performance, efficiency, and practicality, we can also provide exquisite services. Service and support. Whether in our service center or on your site, we can serve multiple brands and applications. Provide services. We can quickly respond to your needs, even with uninterrupted processes, allowing you to produce with peace of mind.

你想了解更多吗？

请直接联系我们！

电话：132-6865-5599

邮箱：chenqiang@kaixuvac.cn



在线客服



营业联系